

56

Subdivisions of T. 26 S., R. 2 E.

CHAINS

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, with brass cap mkd.

T26S	R2E
S 9	S10
S16	S15

1930

from which,

A fir, 7 ins. diam., bears N.35*E., 67 lks. dist.,
mkd. T 26 S R 2 E S 10 B T

A fir, 24 ins. diam., bears S.69*E., 35 lks. dist.,
mkd. T 26 S R 2 E S 15 B T

A fir, 20 ins. diam., bears S.58*W., 40 lks. dist.,
mkd. T 26 S R 2 E S 16 B T

A fir, 26 ins. diam., bears N.52*W., 25 lks. dist.,
mkd. T 26 S R 2 E S 9 B T

Land; rolling; mountainous.

Soil; mountain loam, 3rd rate.

Timber; fir, pine, hemlock, oak and Oregon maple.

Undergrowth; willow, vinemaple, arrow-wood, and mountain laurel.

N.89*54'E., on random line bet. secs. 10 and 15.

40.00 Set temp. 1/4 sec. cor.

80.36 Intersect N. and S. line 42 lks. N. of cor. of secs. 10, 11, 14 and 15, hereinbefore described

Thence

N.89*48'W., on true line bet. secs. 10 and 15.

Asc. 108 ft. over NE. slope, through heavy timber and medium undergrowth.

6.20 Draw, course NE., asc. 450 ft. over N. slope.

19.00 Eagle Ridge, bears N.20*W. and S.20*E., desc. 598 ft. over W. slope; telephone line along top of ridge.

38.70 Little Dry Creek, 1 lk. wide, course SW., asc. 33 ft. over SE. slope.