

Subdivisions of T. 26 S., R. 2 E.

CHAINS




from which,

An oak, 20 ins. diam., bears N.50*E., 381 lks. dist.,
mkd. $\frac{1}{4}$ S 21 B T

A pine, 14 ins. diam., bears N.37*W., 408 lks. dist.,
mkd. $\frac{1}{4}$ S 20 B T

Over nearly level land.

- 44.60 Leave cleared land, bears E. and W., thence through heavy timber and dense undergrowth.
- 46.75 Intersect line bet. cors. Nos. 5 and 6, H. E. S. No. 178; cor. No. 5 bears N.81*46*W., 22 lks. dist. desc. 450 ft. over broken N. slope.
- 49.80 North Umpqua River Trail, and telephone line bears N.15*W., and S.15*E.
- 61.00 Little Dry Creek, 1 lk. wide, course W., asc. 43 ft. over SW. slope.
- 63.40 Point of rocky spur, slopes W., desc. 64 ft. over NW. slope.
- 66.20 Dry Creek, 6 lks. wide, course SW., asc. 247 ft. over SE. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 16, 17, 20, and 21, with brass cap mkd.



from which,

A fir, 30 ins. diam., bears N.29*E., 25 lks. dist.,
mkd. T 26 S R 2 E S 16 B T

A fir, 22 ins. diam., bears S.69*E., 51 lks. dist.,
mkd. T 26 S R 2 E S 21 B T

A fir, 30 ins. diam., bears S.88*W., 56 lks. dist.,
mkd. T 26 S R 2 E S 20 B T