

Subdivisions of T. 26 S., R. 2 E.

CHAINS

A fir, 12 ins. diam., bears S.7*E., 32 lks. dist.,
 mkd. $\frac{1}{4}$ S 21 B T

Asc. 40 ft. over SE. slope.

44.00 Low spur, slopes S., desc. 727 ft. over broken W. slope.

73.00 Dry Creek, 6 lks. wide, course S.15*W., asc. 184 ft.
 over SE. slope.

80.40 Cor. of secs. 16, 17, 20 and 21.

Land; rolling and mountainous.

Soil; mountain loam, 3rd rate.

Timber; fir, pine, cedar, hemlock, Oregon maple, and oak.

Undergrowth; vinemapple, serviceberry, arrow-wood, hazel,
 and dogwood.

N.0*03'W., bet. secs. 16 and 17


Asc. 171 ft. over broken SE. slope, through heavy timber
 and dense undergrowth.

13.60 Spur, slopes E., desc. 86 ft. over NE. slope.

19.10 Draw, course SE., asc. 385 ft. over SE. slope.

29.40 Spur, slopes E., desc. 41 ft. along NE. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
 the ground, for $\frac{1}{4}$ sec. cor. of secs. 16 and 17, with
 brass cap mkd.



from which,

A fir, 18 ins. diam., bears N.72*E., 37 lks. dist.,
 mkd. $\frac{1}{4}$ S 16 B T

A fir, 33 ins. diam., bears S.85*W., 22 lks. dist.,
 mkd. $\frac{1}{4}$ S 17 B T

Desc. 60 ft. along NE. slope.

47.20 Draw, course SE., asc. 660 ft. over SW. slope.

63.80 Spur, slopes SE., desc. 220 ft. over broken NE. slope.