

Subdivisions of T. 26 S., R. 3 E.

CHAINS	
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \\ \text{S31} \text{S32} \\ \\ 1930 \end{array}$
	from which
	A fir, 8 ins. diam., bears N.48*E., 28 lks. dist., mkd. $\frac{1}{4}$ S 32 B T
	A fir, 12 ins. diam., bears N.31*W., 72 lks. dist., mkd. $\frac{1}{4}$ S 31 B T
	Asc. 90 ft. over SW. slope.
40.20	North Umpqua Trail, and forest service telephone line, bears NW. and SE.,
45.50	Spur, slopes SW., desc. 93 ft. over NW. slope.
53.20	Draw, course NW., asc. 310 ft. over broken SW. slope, to cor.
72.90	Spring, course SW.,
75.00	Draw, course SW.,
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, with brass cap mkd.
	$\begin{array}{c} \text{T26S} \text{R3E} \\ \text{S30} \text{S29} \\ \hline \text{S31} \text{S32} \\ \\ 1932 \end{array}$
	from which
	A pine, 18 ins. diam., bears N.18*E., 18 lks. dist., mkd. T 26 S R 3 E S 29 B T
	A cedar, 38 ins. diam., bears S.34*E., 171 lks. dist., mkd. T 26 S R 3 E S 32 B T
	A pine, 46 ins. diam., bears S.68*W., 79 lks. dist., mkd. T 26 S R 3 E S 31 B T
	A cedar, 44 ins. diam., bears N.32*W., 140 lks. dist., mkd. T 26 S R 3 E S 30 B T