

## Retracement of the Willamette Meridian through T 27 S.

## CHAINS

From the sec. cor.

North, on the E. bdy. of sec. 12.

39.86 Fall 70 lks. W. of the  $\frac{1}{4}$  sec. cor.

79.57 Fall 120 lks. W. of the cor. of secs. 1, 6, 7 and 12.

The S. half mile of this line is N.1\*00'E., 39.87 chs.  
and the N. half is N.0\*43'E., 39.71 chs.

From the sec. cor.

North, on the E. bdy. of sec. 1.

39.80 Fall 5 lks. E. of the  $\frac{1}{4}$  sec. cor.

78.55 Fall 5 lks. E. of the cor. of Tps. 26 and 27 S., Rs. 1  
W., and 1 E.

The S. half mile of this line is N.0\*04'W., 39.80 chs.  
and the N. half mile is North, 38.75 chs.

## Dependent Resurvey of the Willamette Meridian through T. 27 S.

From the standard Tp. cor. of T. 27 S., Rs. 1 E., and 1 W.,  
as described in the field notes of T. 28 S., R. 1 E.

Thence,

N.0\*01'E., on E. bdy. of sec. 36.

Over mountainous land, through timber.

Descend 184 ft. over broken NW. slope.

7.76 Creek, 2 lks. wide, course NW.

13.74 Draw, course W.

Ascend 100 ft. over broken SW. slope.

20.60 Leave timber, bears E. and W. enter open area.

28.70 Spur, slopes W.

Descend 275 ft. over N. slope.

30.00 Enter heavy open timber, bears E. and W.

39.83 The  $\frac{1}{4}$  sec. cor. established for secs. 31 and 36, which is  
basalt stone 10x5x $\frac{7}{8}$  ins. above ground, marked  $\frac{1}{4}$  on W.  
face.

Alongside of old stone cor.