



Subdivisions, T 27 S., R. 1 E.

CHAINS
 12.57 Creek, 3 lks. wide, course S. from the NW.
 Ascend 170 ft. over S. slope.
 28.70 Spur, slopes SE.
 Ascend 295 ft. over broken SE. slope.
 39.50 Divide, bears NE. and SW.
 40.00 Set an iron post, 3 ft. long, 1 in. in dia., 27 ins. in
 the ground, for the $\frac{1}{4}$ sec. cor., with brass cap marked.



from which,
 A fir, 34 ins. in dia., bears S.44*E., 34 lks. dist.,
 marked $\frac{1}{4}$ S 25 B T.
 A fir, 6 ins. in dia., bears N.47*W., 20 lks. dist.,
 marked $\frac{1}{4}$ S 26 B T.

Ascend 124 ft. over SW. slope.
 44.00 Divide, bears NE. and SW.
 Descend 161 ft. over broken N. slope.
 49.60 Enter meadow, bears E. and W.
 50.50 Emile Trail and telephone line, bear SE. and NW. and
 stock driveway, bears NE. and SW.
 53.60 Leave meadow, bears E. and W., enter timber.
 54.60 Spring, 1 lk. wide, course E.
 67.20 Creek, 2 lks. wide, course SE.
 Ascend 67 ft. over broken SE. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 27 ins. in
 the ground, for the cor. of secs. 23, 24, 25 and 26
 with brass cap marked.



from which,
 A fir, 30 ins. in dia., bears N.65*E., 17 lks. dist.,
 marked T 27 S R 1 E S 24 B T.
 A fir, 12 ins. in dia., bears S.20*E., 64 lks. dist.,
 marked T 27 S R 1 E S 25 B T.