

Subdivisions T. 27 S R 1 E.

CHAINS	<p>A fir, 28 ins. in dia., bears S.52*W., 46 lks. dist., marked T 27 S R 1 E S 26 B T.</p> <p>A fir, 18 ins. in dia., bears N.49*W., 72 lks. dist., marked T 27 S R 1 E S 23 B T.</p> <p>Land, mountainous and rolling.</p> <p>Soil, rocky loam, 3rd rate.</p> <p>Timber, fir, hemlock, cedar and pine.</p> <p>Undergrowth, rhododendron and vine maple.</p>
40.00	<p>S.89*47'E., on a random line bet. secs. 24 and 25.</p> <p>Set temp. $\frac{1}{4}$ sec. cor.</p>
80.04	<p>Intersect the E. bdy. of the Tp. 20 lks. S. of the cor. of secs. 19,24,25 and 30, hereinbefore described.</p> <p>N.89*36'W., on a true line bet. secs. 24 and 25.</p> <p>Over mountainous land, through timber and brush.</p> <p>Descend 701 ft. over broken W. slope.</p>
2.83	<p>Twin Lakes Trail, bears N. and S. and telephone line.</p>
18.10	<p>Spring branch, 2 lks. wide, course NW.</p>
28.70	<p>Creek bed, dry, course NW.</p>
34.50	<p>Creek, 4 lks. wide, course NE.</p> <p>Ascend 55 ft. over E. slope.</p>
40.02	<p>Set an iron post, 3 ft. long, 1 in. in dia., 20 ins. in the ground, supported in a mound of stone, for the $\frac{1}{4}$ sec. cor., with brass cap marked.</p> <p style="text-align: center;">$\frac{1}{4}$ $\frac{S24}{S25}$</p> <p style="text-align: center;">1927</p> <p>from which,</p> <p>A fir, 36 ins. in dia., bears N.32*E., 49 lks. dist., marked $\frac{1}{4}$ S 24 B T.</p> <p>A fir, 34 ins. in dia., bears S.20*W., 10 lks. dist., marked $\frac{1}{4}$ S 25 B T.</p> <p>Descend 100 ft. over NW. slope.</p>
50.30	<p>Creek, 4 lks. wide, course NE.</p> <p>Ascend 480 ft. over E. slope.</p>