Subdivisions, T. 27 S., R. 1 E.

CHAINS	
	A fir, 6 ins. in dia., bears S.41*W., 11 lks. dist.; marked T 27 S R 1 E S 23 B T
	A hemlock, 20 ins. in dia., bears N.45*W., 7 lks. dist., marked T 27 S R 1 E S 14 B T
	Land, mountainous.
	Soil, rocky loam, 3rd rate.
	Timber, fir; hemlock, pine and cedar.
	Undergrowth, rhododendron, vine maple and chinquapin.
	S.89*56'E., on a random line bet. secs. 13 and 24.
40.00	Set temp. ¼ sec. cor.
79.96	Intersect the E. bdy. of the Tp. 9 lks. N. of the cor. of secs. 13, 18, 19 and 24, herinbefore described.
	Thence,
	N.89*52'W., on a true line bet. secs. 13 and 24.
	Over mountainous land, through timber and brush.
	Descend 620 ft. over broken W. slope.
5.20	Spring branch, 2 lks. wide, course NW.
19.50	Spring branch, 2 lks. wide, course NW.
	Ascend 64 ft. over E. slope.
24.50	Point of spur, slopes N.
	Descend 61 ft. over NW. slope.
32.00	Calf Creek, 6 lks. wide, course NE.
	Ascend 146 ft. over E. slope.
39.98	Set an iron post, 3 ft. long, 1 in. in dia., 16 ins. in the ground to bedrock, supported in a mound of stone, with a 4 ft. base, 1 ft. high for the ¼ sec. cor., with brass cap marked.
	¼ S13 / S24 1927
	from which,
	A fir, 12 ins. in dia., bears S.56*E., 16 lks. dist., marked ¼ S 24 B T
	A fir, 14 ins. in dia., bears N.25*W., 35 lks. dist., marked ¼ S 13 B T
	Ascend 255 ft. over broken E. slope.