

Subdivisions T. 27 S. R. 1 E.

CHAINS

A cedar, 22 ins. in dia., bears S.65°E., 30 lks. dist.  
marked T 27 S R 1 E S 20 B T

A fir, 30 ins. in dia., bears S.28°W., 48 lks. dist.,  
marked T 27 S R 1 E S 19 B T

A cedar, 20 ins. in dia., bears N.41°W., 26 lks. dist.,  
marked T 27 S R 1 E S 18 B T

Land, mountainous.

Soil, rocky loam, 3rd rate.

Timber, fir, cedar and yew.

Undergrowth, vine maple, rhododendron and huckleberry.

N.89°52'E., on a random line bet. secs. 17 and 20.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.25 Intersect the N. and S. line, 35 lks. N. of the true  
point for cor. of secs. 16, 17, 20 and 21.

Thence,

N.89°53'W., on a true line bet. secs. 17 and 20.

Over mountainous land, through timber and brush.

Descend 117 ft. over W. slope, in center of the East  
fork of Hemlock Creek, 5 lks. wide, course W.

10.70 Hemlock Creek, 10 lks. wide, course NW., at mouth of the  
East fork of Hemlock Creek.

Ascend 64 ft. over NE. slope.

14.00 Point of spur, slopes N.

Descend 65 ft. over NW. slope.

30.40 Creek, 3 lks. wide, course NW., from SW.

Ascend 265 ft. over broken E. slope.

40.11 Set an iron post, 3 ft. long, 1 in. in dia., 27 ins. in  
the ground, for the  $\frac{1}{4}$  sec. cor., with brass cap marked

$\frac{1}{4}$  S17  
S20

1927

from which,