

Subdivisions of T. 27 S., R. 2 E.

CHAINS	
	Ascend 165 ft. over SW. slope.
6.20	Spur, slopes E.
	Descend 120 ft. over NE. slope.
12.70	Creek, 1 lk. wide, course E.
	Ascend 20 ft. over SW. slope.
14.40	Spur, slopes E.
	Descend 90 ft. over NE. slope.
17.10	Creek, 2 lks. wide, course E.
	Ascend 130 ft. over SE. slope.
21.50	Spur, slopes SE.
	Ascend 185 ft. over broken SE. slope.
22.20	Draw, course SE.
25.10	Small spur, slopes SE.
31.50	Draw, course E.
33.00	Spur, slopes SE.
	Descend 25 ft. over broken NE. slope.
35.80	Small spur, slopes E., thence over broken ground.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked
	$\frac{1}{4}$ S11 S12 1929
	from which,
	A fir, 9 ins. diam., bears N.48*E., 50 lks., dist., marked $\frac{1}{4}$ S 12 B T.
	A pine, 26 ins. diam., bears N.85*W., 29 lks., dist., marked $\frac{1}{4}$ S 11 B T.
42.80	Spur, slopes NE.
	Descend 50 ft. over NE. slope.
45.00	Draw, course E.
	Ascend 50 ft. over SE. slope.
49.70	Spur, slopes NE.