

Subdivisions of T. 27 S., R. 2 E.

CHAINS	
	Descend 85 ft. over N. slope.
55.60	Spur, slopes SE. Descend 660 ft. over broken NE. slope.
64.30	Point of main spur, slopes NE., slope changes to N.
80.00	Point for cor. of secs. 1, 2, 11, and 12, falls on precipitous slope, where it is impracticable to establish a permanent corner.
	Land; mountainous. Soil; loose, coarse, rocky loam, 3rd rate. Timber: fir, cedar, pine, and hemlock. Undergrowth; rhododendron, vinemaple, and chinquapin.
	From true point for cor. S.89*47'E., on a random line bet. secs. 1 and 12.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.14	Intersect the E. bdy. of Tp. 7 lks. S. of the cor. of secs. 1, 6, 7, and 12, hereinbefore described.
	Thence N.89*50'W., on true line bet. secs. 1 and 12 Over mountainous land, through heavy green timber and dense undergrowth.
	Descend 955 ft. over broken NW. slope.
34.00	Copeland Creek, 28 lks. wide, course N.20*E.
34.20	Copeland Creek Way Trail, bears N. and S., at mouth of creek, 12 lks. wide, from W., thence along creek.
40.07	Point for $\frac{1}{4}$ sec. cor. in creek, impracticable to establish permanent cor. At point 70 lks. North of true position of cor., set an iron post, 3 ft. long, 1 in diam., 27 ins. in the ground, for witness $\frac{1}{4}$ sec. cor., with brass cap marked
	$\frac{1}{4}$ ——— S1 S12 W C 1929
	from which,