

Subdivisions of T. 27 S., R. 2 E.

CHAINS	
	N.89*56'E., on a random line bet, Secs. 16 and 21.
40.00	Set temp. $\frac{1}{4}$ Sec. corner.
80.14	Intersect the N and S line, 28 lks. N of the corner of Secs. 15, 16, 21 and 22.
	Thence
	N.89*52'W., on a true line bet, Secs. 16 and 21.
	Over mountainous land, through heavy green timber and dense undergrowth.
	Ascend 40 ft. over SE slope.
2.60	Spur, slopes S.
	Descend 120 ft. over SW slope.
14.25	Moist draw, course S.
	Ascend 190 ft. over SE slope.
32.60	Creek, 1 lk. wide, course S.
	Ascend 65 ft. over broken SE slope.
34.70	Creek, 1 lk. wide, course S.
37.35	Spur, slopes SE.
	Descend 35 ft. over SW slope.
40.07	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ Sec. cor., with brass cap marked
	$\frac{1}{4} \frac{S16}{S21}$
	1929
	from which
	A Fir, 14 ins. diam., bears N.87*E., 72 lks. dist., marked $\frac{1}{4}$ S 16 B T.
	A Fir, 14ins. diam., bears S.56 $\frac{1}{2}$ *W., 28 lks. dist., marked $\frac{1}{4}$ S 21 B T.
	Descend 30 ft. over W slope.
44.30	Confluence of creeks, from N and NW., 2 lks. wide, course S., ascend 580 ft. over broken E slope.
46.60	Spring branch, 1 lk. wide, course NE.