

Subdivisions, T 27 S., R. 2 E.

CHAINS

A fir, 24 ins. in diam., bears N.56 $\frac{1}{2}$ *W., 112 lks. dist., marked T 27 S R 2 E S 31 S C B T

Thence,

N.0*04'W., bet. secs. 31 and 32.

Over mountainous land, through heavy green timber and dense undergrowth.

Ascend 55 ft. over SE. slope.

3.90 Spur, slopes E., descend 145 ft. over broken NE. slope.


12.00 Spring branch, 1 lk. wide, course E.

20.40 Spring branch, 1 lk. wide, course E.

24.50 Spring branch, 2 lks. wide, course E.

Ascend 300 ft. over broken S. slope.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked



from which,

A fir, 32 ins. in diam., bears S.68 $\frac{1}{2}$ *E., 17 lks. dist., marked $\frac{1}{4}$ S 32 B T

A fir, 16 ins. in diam., bears N.68 $\frac{1}{2}$ *W., 113 lks. dist., marked $\frac{1}{4}$ S 31 B T

Ascend 310 ft. over S. slope.

51.85 Emile Trail, bears SE. and SW.

59.70 Divide, bet. N. and S. Umpqua Rivers, bears SE. and NW. Descend 340 ft. over NE. slope.

74.10 Spring branch, 1 lk. wide, course NE.

79.85 Draw, course E.

Ascend 10 ft. over SE. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 27 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, with brass cap marked

