

Subdivisions, T. 27 S., R. 2 E.

CHAINS 39.63	Set an iron post, 3 ft. long, 1 in. in diam., 12 ins. in the ground to bedrock, supported in a mound of stone, 3 ft. base, 1½ ft. high, for ¼ sec. cor., with brass cap marked
	$\frac{1}{4} \frac{S18}{S19}$ 1929
	<p>from which,</p> <p>A fir, 30 ins. in diam., bears S.5*E., 61 lks. dist., marked ¼ S 19 B T</p> <p>A cedar, 20 ins. in diam., bears N.4½*W., 73 lks. dist., marked ¼ S 18 B T</p>
	Ascend 265 ft. over W. slope.
49.85	Spur, slopes NW.
63.70	Draw, course NW.
	Ascend 255 ft. over NW. slope.
73.45	Spur, slopes N.
	Descend 75 ft. over NE. slope.
79.63	The cor. of secs. 17, 18, 19 and 20.
	Land, mountainous.
	Soil, loose, coarse, rocky loam, 3rd rate.
	Timber, fir, cedar, pine and hemlock.
	Undergrowth, vinemaple, rhododendron, mountain ash, and second growth timber.
	N.0*04'W., bet. secs. 17 and 18.
	Over mountainous land, through heavy green timber and dense undergrowth.
	Descend 1110 ft. over NE. slope.
37.35	Creek, 1 lk. wide, course NW.
	Ascend 15 ft. over NW. slope.
40.00	Point for cor. falls on insecure ground where it is impracticable to establish a permanent cor.