

Subdivisions of T. 27 S. R. 6½ E.

CHAINS	
80.00	<p>Set post, 50 ins. by 4 ins. sq. 20 ins. in the ground, for cor.to secs. 22, 27, 28, and 21, marked T 27 S S 22 on NE.- R 6½ E S 27 on SE.- S 28 on SW. and S 21 on NW. faces with 3 notches on E. and 2 on S. edges, from which:</p> <p style="padding-left: 40px;">A pine, 8 ins. diam., bears N.83*E., 20 lks. dist., marked T 27 S R 6½ E S 22 B T</p> <p style="padding-left: 40px;">A fir, 30 ins. diam., bears S.45*E., 23 lks. dist., marked T 27 S R 6½ E S 27 B T</p> <p style="padding-left: 40px;">A fir, 24 ins. diam., bears S.10*W., 28 lks. dist., marked T 27 S R 6½ E S 28 B T</p> <p style="padding-left: 40px;">A pine, 14 ins. diam., bears N.64*W., 32 lks. dist., marked T 27 S R 6½ E S 21 B T</p> <p>Land, high and mountainous. Covered with dense forests of pine and fir, with thick underbrush of pine and fir. Soil 3rd. rate.</p>
	<p>East, on random bet. secs. 22 and 27. Va. 17*30'E. Descending hill</p>
40.00	Set temp. ¼ sec. cor.
80.60	<p>Intersect N. and S. line, 4 lks. S. of cor. to secs. 23, 22, 26 &amp; 27. Thence I run S.89*W. on true line bet. sec. 22 and 27. with same va.</p> <p>Ascending hill</p>
40.30	<p>Set post, 44 ins. by 4 ins. sq. 12 ins. in the ground, for ¼ sec. cor., marked ¼ S on N. face, from which:</p> <p style="padding-left: 40px;">A pine, 8 ins. diam., bears S.35*E., 26 lks., dist. marked ¼ S B T</p> <p style="padding-left: 40px;">A pine, 14 ins. diam., bears N.82*E., 21 lks. dist., marked ¼ S B T</p>
41.10	Stream, 6 lks. wide, course SE.
44.10	Commence to ascend
80.60	<p>Corner to secs. 21, 22, 27, 28.</p> <p>Land hilly and rough, covered with dense forests of fir, and pine timber.</p>