

## Resurvey of the Willamette Meridian through T. 28 S.

## CHAINS

This cor. is 155 ft. above ravine.

Thence N. 0\* 13' E.

Asc. 45 ft. over SW. slope.

4.25 Spur, slopes W., desc. 40 ft. over NW. slope.

7.60 Ravine, course SW.; asc. 350 ft. over SE. slope.

21.00 Spur, slopes E.; desc. 45 ft. over NE. slope.

23.25 Same ravine, course S. 20\* E.; asc. SW. slope.

36.43 Mid point between closing cors. determined as  
hereinafter set forth.

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in  
the ground, for  $\frac{1}{4}$  cor. of sec. 19, with brass cap mkd.

1927 |  $\frac{1}{4}$ S19

from which

A fir, 36 ins. diam., bears N. 10\* E., 10 lks.  
dist., mkd.  $\frac{1}{4}$  S19 BT.

A fir, 36 ins. diam., bears S. 18 $\frac{1}{2}$ \* E., 32 lks.  
dist. mkd.  $\frac{1}{4}$  S19 BT.

Asc. SW. slope.

40.10 340 ft. above ravine.

The cor. established for secs. 24 and 25, which is a  
basalt stone, 12x8x5 ins., above ground, firmly set,  
mkd. with 4 notches on N. and 2 notches on S. edge;  
from which the original bearing trees

A fir, 34 ins. diam., bears S. 50\* W., 50 lks.  
dist., mkd. T28S R1W S25 BT.

A fir, 28 ins. diam., bears N. 61\* W., 59 lks.  
dist., mkd. T28S R1W S24 BT.

Land, mountainous.

Soil, loose, coarse, rocky loam; 3rd rate.

Timber, fir, pine, cedar and hemlock.

Undergrowth, vine maple, rhododendron and chinquapin.