

Resurvey of the Willamette Meridian through T. 28 S.

CHAINS

dist., mkd. $\frac{1}{4}$ S13 BT.

Thence

N. 0° 6' W.

Asc. 35 ft. over SW. slope.

8.00 Spur, slopes W.; desc. 25 ft. over NW. slope.

12.10 Head of ravine, course W.; asc. 430 ft. over SW. slope.

30.80 Spur, slopes SE.; desc. 275 ft. over broken NE. slope
to sec. cor.

36.84 Mid point bet. closing cors. determined as hereinafter
set forth.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in
the ground, for $\frac{1}{4}$ cor. of sec. 7, with brass cap mkd.

| $\frac{1}{4}$ S7
1928

from which

A fir, 8 ins. diam., bears N. 11° E., 4 lks.

dist., mkd. $\frac{1}{4}$ S7 BT.

A fir, 20 ins. diam., bears S. 63° E., 25 lks.

dist., mkd. $\frac{1}{4}$ S7 BT.

39.80 The cor. established for secs. 12 and 13, which is a
basalt stone, 10x5x4 ins., above ground; firmly set,
mkd. with 2 notches on N. and 4 notches on S. edge;
from which the original bearing trees

A fir, 16 ins. diam., bears S. 28° W., 48 lks.

dist., mkd. T28S R1W S13 BT.

A fir, 16 ins. diam., bears N. 78° W., 48 lks.

dist., mkd. T28S R1W S12 BT.

Land, mountainous.

Soil, loose, coarse, rocky loam; 3rd rate.

Timber, fir, pine, cedar and hemlock.

Undergrowth, vine maple, rhododendron and chinquapin.