

Subdivision of T. 28 S., R. 1 E.

CHAINS

A Fir, 16 ins. diam., bears N.61¹/₂*E., 73 lks.
dist., marked T 28 S R 1 E S 10 B T.
A Fir, 24 ins. diam., bears S.36*E., 23 lks.
dist., marked T 28 S R 1 E S 15 B T.
A Fir, 12 ins. diam., bears S.81-3/4*W., 81 lks.
dist., marked T 28 S R 1 E S 16 B T.
A Fir, 18 ins. diam., bears N.53*W., 66 lks.
dist., marked T 28 S R 1 E S 9 B T.

Land, mountainous.

Soil, loose, coarse, rocky loam; 3rd rate.

Timber, Pine, Fir, Cedar, Chinquapin and Madrona.

Undergrowth, Rhododendron, Vinemaple and Chinquapin.

S.89*58'E., on a random line bet. Secs. 10 and 15.

40.00 Set temp. ¹/₄ Sec. corner.

80.40 Intersect N and S line, 14 lks. N of the cor. of
Secs. 10, 11, 14 and 15.

Thence

N.89*52'W., on a true line bet. Secs. 10 and 15.

Desc. 230 ft. over SW slope; through heavy green timber
and dense undergrowth.

5.50 Branch, 2 lks. wide, course N.60*W., ascend 45 ft. over
NE slope.

10.90 Spur, slopes N; descend 70 ft. over NW slope.

15.65 Ravine, course N; ascend 60 ft. over NE slope.

20.00 Spur, slopes N; descend 380 ft. over NW slope.

31.60 Ravine, course N; ascend 85 ft. over NE slope.

34.35 Spur, slopes N; descend 170 ft. over NW slope.

38.85 Branch, 1 lk. wide, course N; ascend 25 ft. over NE
slope.

40.20 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in
the ground, for ¹/₄ Sec. cor., with brass cap marked

S10

¹/₄ _____

S15
1927