


Subdivision of T. 28 S., R. 1 E.

CHAINS

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap, mkd.



from which

A pine, 38 ins. diam., bears S.  $83\frac{1}{2}^*$  E., 61 lks. dist., mkd.  $\frac{1}{4}$  S4 BT.

A fir, 24 ins. diam., bears S.  $84\frac{1}{2}^*$  W., 58 lks. dist., mkd.  $\frac{1}{4}$  S5 BT.

Asc. SW. slope.


49.40 Spur, slopes SE. from N.; asc. along top of spur.

55.40 490 ft. above the  $\frac{1}{4}$  sec. cor.; leave spur, slopes S. from NW; thence over broken E. slope.

73.40 Intersect the Sixth Standard Parallel South, 1.79 chs., West from the standard cor. of secs. 32 and 33, heretofore described.

At point of intersection,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for closing cor. of secs. 4 and 5, with brass cap, mkd.



from which

A fir, 26 ins. diam., bears S.  $6\frac{1}{4}^*$  E., 60 lks. dist., mkd. T28S R1E S4 CC BT.

A fir, 24 ins. diam., bears S.  $3\frac{1}{4}^*$  W., 130 lks. dist., mkd. T28S R1E S5 CC BT.

Land, mountainous.

Soil, loose, coarse, rocky loam; 3rd and 4th rate.

Timber, fir, pine and cedar.

Undergrowth, vine maple, rhododendron and chinquapin.