

Subdivision of T. 28 S., R. 1 E.

CHAINS

To complete the survey of sec. 1, I go to the standard $\frac{1}{4}$ cor. of sec. 36, on S. bdy. of T. 27 S., R. 1 E., and run West, along S. bdy. of sec. 36.

- 1.67 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor of sec. 1 only, with brass cap, mkd.

$\frac{1}{4}$ S1
1927

from which

A fir, 22 ins. diam., bears S. 36* E., 6 lks. dist., mkd. $\frac{1}{4}$ S1 BT.

A hemlock, 18 ins. diam., bears S. 77* W., 82 lks. dist., mkd. $\frac{1}{4}$ S1 BT.

To complete the survey of sec. 2, I go to the standard $\frac{1}{4}$ cor. of sec. 35, on S. bdy. of T. 27 S., R. 1 E., and run West, along S. bdy. of sec. 35.

- 1.57 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ cor. of sec. 2 only, with brass cap, mkd.

$\frac{1}{4}$ S2
1927

from which

A hemlock, 6 ins. diam., bears S. 5 $\frac{1}{2}$ * E., 19 lks. dist., mkd. $\frac{1}{4}$ S2 BT.

A hemlock, 10 ins. diam., bears S. 31* W., 16 lks. dist., mkd. $\frac{1}{4}$ S2 BT.