

## Subdivision of T. 28 S., R. 1 E.

CHAINS

To complete the survey of Sec. 5, I go to the  
Standard  $\frac{1}{4}$  cor. of Sec. 32 on S bdy. of T. 27 S.,  
R. 1 E., and run  
West, along S. bdy. of Sec. 32.

1.80 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in  
the ground, for  $\frac{1}{4}$  cor. of Sec. 5 only, with brass  
cap marked

---

$\frac{1}{4}$  S5  
1928

from which

A Fir, 22 ins. diam., bears S.86\*E., 61 lks.  
dist., marked  $\frac{1}{4}$  S 5 B T.

A Fir, 60 ins. diam., bears S.83\*W., 9 lks.  
dist., marked  $\frac{1}{4}$  S 5 B T.

To complete the survey of Sec. 6 I go to the standard  
 $\frac{1}{4}$  cor. of Sec. 31, on S bdy. of T. 27 S., R. 1 E,  
and run

West, along S. bdy. of Sec. 31.

1.81 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in  
the ground, for  $\frac{1}{4}$  cor. of Sec. 6 only, with brass  
cap marked

---

$\frac{1}{4}$  S6  
1928

from which

A Fir, 32 ins. diam., bears S.65\*E., 69 lks.  
dist., marked  $\frac{1}{4}$  S 6 B T.

A Fir, 26 ins. diam., bears S.29\*W., 49 lks.  
dist., marked  $\frac{1}{4}$  S 6 B T.