

6th. Stan. Par. South through R. 2 E.

CHAINS

71.75

Stream, 25 lks. wide, course SW.

80.00

Set post 48 x 4 ins. firmly in the ground for Stan.

cor. to Tps. 27 S R 2 & 3 E., marked S C T 27 S
on N. R 3 E S 31 on E. and R 2 E S 36 on W. faces
with 6 notches on NE and W. edges, from which:

A fir, 20 ins. diam., bears N.45*E., 20 lks.dist.
marked T 27 S R 3 E S 31 B T

A fir, 12 ins. diam., bears N.5*W., 10 lks.dist.
marked T 27 S R 2 E S 36 B T

A fir, 16 ins. diam., bears S.25*W., 19 lks.dist.
marked S B T

Land 4th rate- Mountainous, burnt timber

Thick underbrush of vinemaple, cinnamon and laurel.

General Description

Of the South bdy. of T 27 S Range 2 E- running East
land averaging about 3rd rate.

Mountainous and rocky.

Timber; fir, hemlock, spruce and pine, abundant and of a
good quality- water plenty and good- underbrush
dense of vinemaple, laurel, cinnamon and fir.

There is nothing specially noticable in the topography
on the N. or S. side of the line. The same mountain-
ous ridges, canyons, timber, water and etc., mark
the general appearance of the country.

North Bdys. of T.29 S., R. 2 E., as surveyed
by Fred Mensch and Lincoln E. Wilkes, U.S. Cadastral
Engineers, under special instructions, dated Dec 21, 1920.

West, on a random line, along the N.bdy. of Tp.29 S.,
R 2 E., setting temp. $\frac{1}{4}$ sec. and sec. cora. at intervals
of 40.00 chs., and at 476.00 chs. intersect the E. bdy.
of T. 29 S., R. 1 E., 55 lks. S. of the cor. of Tps. 28