

Resurvey of the Sixth Standard Parallel South through R. 2 E.

CHAINS

Land, mountainous.
 Soil, loose, coarse, rocky loam; 3rd. rate.
 Timber, fir, cedar and pine.
 Undergrowth, chinquapin, hazel and vine maple.

East, on S. bdy. of sec. 35.
 Desc. 95 ft. over E. slope; through heavy green timber
 and dense undergrowth.

3.40 Branch, 3 lks. wide, course S.; asc. 180 ft. over
 broken SW. slope to the standard $\frac{1}{4}$ sec. cor.

31.27 Find no evidence of the old standard $\frac{1}{4}$ sec. cor.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in
 the ground, for standard $\frac{1}{4}$ sec. cor., with brass
 cap mkd.

SC
 $\frac{1}{4}$ S35

1927

from which

A cedar, 14 ins. diam., bears N.50*E., 77 lks.
 dist., mkd. $\frac{1}{4}$ S 35 S C B T

A fir, 30 ins. diam., bears N.30*W., 130 lks.
 dist., mkd. $\frac{1}{4}$ S 35 S C B T

Thence over S. slope.

42.00 Spur, slopes SE.; Desc. 970 ft. over NE slope to
 the standard sec. cor.

60.00 Spring branch, 1 lk. wide, course NE.

67.47 The old cor. established for standard cor. of secs.
 35 and 36, bears N., 1.84 chs. dist.

I destroy all evidence of this cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in
 the ground, for standard cor. of secs. 35 and 36.
 with brass cap mkd.

S C
 T27S | R2E
S35 | S36

1927