

Subdivision of T. 28 S., R. 2 E.

CHAINS	
	from which
	A fir, 24 ins. diam., bears N.50°E., 21 lks. dist. mkd. $\frac{1}{4}$ S 12 B T
	A fir, 14 ins. diam., bears S.35°E., 38 lks. dist. mkd. $\frac{1}{4}$ S 13 B T
	Desc. 25 ft. over SW. slope.
42.00	Spur, slopes SW., desc. 270 ft. over NW. slope.
52.50	Branch, 3 lks. wide, course NW., asc. 125 ft. over NE. slope.
61.00	Spur, slopes NW., desc. 205 ft. over NW. slope.
68.10	Branch, 2 lks. wide, course NW., asc. 15 ft. over NE. slope.
71.25	Spur, slopes N., desc. 120 ft. over NW. slope.
74.60	Branch, 1 lk. wide, course N., asc. 115 ft. over NE. slope.
80.08	The cor. of secs. 11, 12, 13 and 14. Land, mountainous. Soil, loose, coarse, rocky loam; 3rd. rate. Timber, fir, pine and cedar. Undergrowth, vine maple, rhododendron and chinquapin.
	North 0°1'W., bet. secs. 11 and 12. Desc. 325 ft. over NE. slope; through heavy green timber and dense undergrowth.
11.30	Enter bottom land, bears NE. and SW.
15.80	Left bank of Black Rock Fork of South Umpqua River, course S.45°W.
17.80	Right bank of Black Rock Fork of South Umpqua River.
19.00	Leave bottom land, bears NE. and SW., asc. 540 ft. over SE. slope to the $\frac{1}{4}$ sec. cor.
21.25	Trail, bears NE. and SW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.