

Subdivision of T. 28 S., R. 2 E.

CHAINS

$\frac{1}{4}$ sec. cor.

38.95 Ravine, course N.20*W.

39.97 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S26



S35

1926

from which:

A fir, 30 ins. diam., bears N.21*E., 34 lks. dist. mkd. $\frac{1}{4}$ S 26 B T.

A fir, 30 ins. diam., bears S.45*E., 25 lks. dist. mkd. $\frac{1}{4}$ S 35 B T

Thence over broken N. slope.

46.50 Trail, bears NW. and SE.

74.50 Spur, slopes NW., desc. 140 ft. over NW. slope.

79.94 The cor. of secs. 26,27, 34 and 35.

Land, mountainous.

Soil, loose, coarse, rocky loam; 3rd. rate.

Timber; fir, pine and cedar.

Undergrowth, rhododendron, vine maple, manzanita and laurel.

North 0*2'W., bet. secs. 26 and 27.

Desc. 105 ft. over NW. slope; through heavy green timber and dense undergrowth.

3.70 Head of ravine, course NW., asc. 85 ft. over SW. slope.

6.70 Spur, slopes NW., desc. NE. slope.

17.70 Trail, bears NW. and SE.

23.50 600 ft. below spur; Castle Rock Fork of South Umpqua River, 50 lks. wide, course W., asc. 330 ft. over SE. slope to the $\frac{1}{4}$ sec. cor.

29.70 Trail, bears E. and W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.