

Subdivision of T. 28 S., R. 2 E.

CHAINS	
	North 89°52'E., on a random line bet. secs. 11 and 14.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.08	Intersect N. and S. line, 32 lks. N. of the cor. of secs. 11, 12, 13 and 14.
	Thence
	North 89°54'W., on a true line bet. secs. 11 and 14.
	Asc. 80 ft. over NE. slope; through heavy green timber and dense undergrowth.
5.00	Spur, slopes NW., desc. 360 ft. over NW. slope.
15.30	Branch, 4 lks. wide, course N., asc. 115 ft. over NW. slope.
25.00	Spur, slopes N., desc. 215 ft. over NW. slope.
34.00	Left bank of Black Rock Fork of South Umpqua River.
34.60	Right Bank of Black Rock Fork of South Umpqua River, course W. from NE., thence along right bank.
40.04	Point for $\frac{1}{4}$ sec. cor. falls on insecure ground.
41.58	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for witness cor. to $\frac{1}{4}$ sec. cor., with brass cap mkd.
	S11
	$\frac{1}{4}$ ————— WC
	S14 1927
	from which:
	A maple, 16 ins. diam., bears N.63*W., 33 lks.
	dist., mkd. WC $\frac{1}{4}$ S 11 B T
	An alder, 15 ins. diam., bears S.33*E., 9 lks.
	dist., mkd. WC $\frac{1}{4}$ S 14 B T
42.90	Right Bank of Black Rock Fork of South Umpqua River, course N.60*W.
43.60	Left Bank of Black Rock Fork of South Umpqua River. Asc. 100 ft. over NE. slope.
47.10	Spur, slopes N., desc. 110 ft. over NW. slope.
53.90	Black Rock Fork of South Umpqua River, 50 lks. wide, course S.60*W., asc. 15 ft. over SE. slope to spur.