


Subdivision of T. 28 S., R. 2 E.

- CHAINS
- 15.65 Spring branch, 1 lk. wide, course NE.
 - 29.20 Left Bank of Castle Rock Fork of South Umpqua River, course NW.
 - 30.20 Right Bank of Castle Rock Fork of South Umpqua River. Asc. 25 ft. over broken SE. slope to the $\frac{1}{4}$ sec. cor.
 - 31.15 Trail, bears NW. and SE.
 - 35.00 Trail, bears E. and W.
 - 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.




from which:

- A cedar, 20 ins. diam., bears E. 103 lks. dist., mkd $\frac{1}{4}$ S 27 B T.
- A fir, 5 ins. diam., bears N.46*W., 18 lks. dist., mkd. $\frac{1}{4}$ S 28 B T

Asc. 645 ft. over SE. slope.

- 60.80 Spur, slopes SW., desc. 365 ft. over NW. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 21,22,27 and 28, with brass cap mkd.



from which:

- A pine, 36 ins. diam., bears N.62 $\frac{1}{2}$ *E., 83 lks. dist., mkd. T 28 S R 2 E S 22 B T.
- A fir, 16 ins. diam., bears S.15*E., 32 lks. dist., mkd. T 28 S R 2 E S 27 B T.
- A pine, 20 ins. diam., bears S.83*W., 82 lks. dist., mkd. T 28 S R 2 E S 28 B T.
- A fir, 20 ins. diam., bears N.3 $\frac{1}{2}$ *W., 90 lks. dist., mkd. T 28 S R 2 E S 21 B T.