

## Subdivision of T. 28 S., R. 2 E.

## CHAINS

To complete the survey of sec. 5, I go to the standard  
 $\frac{1}{4}$  cor. of sec. 32, on S. bdy. of T. 27 S.,  
 R. 2 E., and run

West, along S. bdy. of sec. 32.

7.31 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in  
 the ground, for  $\frac{1}{4}$  cor. of sec. 5 only, with brass  
 cap mkd.

---

$\frac{1}{4}$  S5

1927

from which:

A fir, 40 ins. diam., bears S.60 $\frac{1}{2}$ \*E., 62 lks.  
 dist., mkd.  $\frac{1}{4}$  S5 BT.

A fir, 30 ins. diam., bears S.32 $\frac{1}{2}$ \*W., 3 lks.  
 dist., mkd.  $\frac{1}{4}$  S5 BT.

To complete the survey of sec. 6, I go to the standard  
 $\frac{1}{4}$  cor. of sec. 31, on the S. bdy. of T. 27 S.,  
 R. 2 E., and run

West, along S. bdy. of sec. 31.

7.31 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in  
 the ground, for  $\frac{1}{4}$  cor. of sec. 6 only, with brass  
 cap mkd.

---

$\frac{1}{4}$  S6

1927

from which:

A fir, 12 ins. diam., bears S.50\*E., 19 lks.  
 dist., mkd.  $\frac{1}{4}$  S6 BT.

A cedar, 42 ins. diam., bears S.43\*W., 38 lks.  
 dist., mkd.  $\frac{1}{4}$  S6 BT.