

County Surveyor's Record, Douglas County, Oregon

South Bdy. of Tp.29, S., R. 1 E.,

CHAINS	
	At the cor. of secs. 5, 6, 31 and 32.
	Thence I run
	East bet. secs. 5 and 32.
	Over mountainous land, heavily timbered and covered with dense undergrowth.
	Desc. gradually.
10.85	Ravine, course S.
	Asc. SW. slope.
14.00	Ridge bears N. and S.
	Desc. E. slope.
40.00	A fir, 20 ins. diam., for $\frac{1}{4}$ sec. cor., I mark $\frac{1}{4}$ S. 32 on N. and 5 on S. side, from which, A fir, 20 ins. diam., bears N.33*W., 4 lks. dist., mkd. $\frac{1}{4}$ S 32 B T A fir, 15 ins. diam., bears S.28*E., 43 lks. dist., mkd. $\frac{1}{4}$ S 5 B T
43.70	Dry creek, course SE.
57.00	Creek, 1 lk. wide, course S.
61.25	Ridge bears N. and S.
75.60	Ravine, course S.
80.00	Set a conglomerate stone, 15x12x6 ins., 10 ins. in the ground, for cor. of secs. 4, 5, 32 and 33, with 4 notches on E. and 2 notches on W. edge, from which, A fir, 20 ins. diam., bears N.3*E., 25 lks. dist., mkd. T 29 S R 1 E S 33 B T A sugar pine, 8 ins. diam., bears S.73*E., 22 lks. dist., mkd. T 30 S R 1 E S 4 B T A fir, 36 ins. diam., bears S.11*W., 18 lks. dist., mkd. T 30 S R 1 E S 5 B T A fir, 16 ins. diam., bears N.89*W., 20 lks. dist., mkd. T 29 S R 1 E S 32 B T.