

Subdivisions of T. 29 S., R. 1 E.,

CHAINS

A fir, 9 ins. diam., bears N.51*E., 28 lks. dist.,
mkd. $\frac{1}{4}$ S 13 B T

A fir, 40 ins. diam., bears S.25*E., 27 lks. dist.,
mkd. $\frac{1}{4}$ S 24 B T

Desc. 85 ft. on rolling S. slope.

60.10 Buckeye Creek, 25 lks. wide, course NW.; asc. 175 ft.
on NE. slope.

73.35 Spur, slopes NW.; desc. 170 ft. on W. slope.

78.90 Creek, 4 lks. wide, course NW.; asc. 25 ft. on NE. slope,
to

80.30 The cor. of secs. 13, 14, 23 and 24.

Land; mountainous.

Soil; clay loam, stony in places, 2nd and 3rd rate.

Timber; fir, hemlock, and cedar.

Undergrowth; vine maple, chinquapin, hemlock, fir.

N.0*01'W., bet. secs. 13 and 14.

Over mountainous land, through heavy timber and dense
undergrowth.

Desc. 120 ft. on NE. slope.

8.20 Buckeye Creek, 25 lks. wide, course NW.; asc. 85 ft. on
SW. slope, to

14.60 Ravine, course SW.; asc. 25 ft. on SE. slope.

20.50 Ravine, course SE.; asc. 125 ft. on SW. slope.

32.35 Top of asc; thence over W. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the
ground, for $\frac{1}{4}$ sed. cor., with brass cap marked

$\frac{1}{4}$
S 14 | S 13
1921

from which,

A fir, 6 ins. diam., bears N.86*E., 18 lks. dist.,
mkd. $\frac{1}{4}$ S 13 B T

A fir, 36 ins. diam., bears S.44*W., 64 lks. dist.,
mkd. $\frac{1}{4}$ S 14 B T