


Subdivision of T 29 S.; R. 2 E.

CHAINS

- 46.00 Low spur, slopes NW. Descend 175 ft., over N. slope.
- 59.31 Brook, 1 link wide, course NW. Continue along general W. slope.
- 64.80 Brook, 1 link wide, course NW.
- 80.00 Set an iron post, 3 ft. long, 2 ins. dia., 27 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, with brass cap marked



from which

- A Douglas fir, 32 ins. dia.; bears N. 53\* E., 46 lks. dist., marked T 29 S R 2 E S 21 BT.
- A Douglas fir, 10 ins. dia., bears S. 42\* E., 17 lks. dist., marked T 29 S R 2 E S 28 BT.
- A Douglas fir, 12 ins. dia., bears S. 72\* W., 23 lks. dist., marked T 29 S R 2 E S 29 BT.
- A Douglas fir, 24 ins. dia., bears N. 41\* W., 28 lks. dist., marked T 29 S R 2 E S 20 BT.

Land, mountainous.

Soil, clay loam and rocky; 2nd, 3rd, and 4th rate.

Timber, fir, pine and cedar.

Undergrowth, rhododendron and fir.

East on a random line, bet. secs. 21 and 28.

- 40.00 Set temp. sec. cor.
- 79.90 Intersect N. and S. line, 16 lks. S. of the cor. of secs. 21, 22, 27 and 28.
- Thence,
- S. 89\* 53' W., on a true line, bet. secs. 21 and 28.
- Over mountainous land, through heavy timber and dense undergrowth.
- Descending over NW. slope.
- 3.42 Brook, 2 lks. wide, course NW.
- 12.30 Low spur, slopes NW.
- 15.48 Brook, 3 lks. wide, course NW., 120 ft. lower than sec. cor. Ascend 440 ft., over NE. slope to
- 39.95 Set an iron post, 3 ft. long, 1 in. dia., 27 ins. in the**