

Subdivision of T. 29 S., R. 2 E.

CHAINS

ground, for  $\frac{1}{4}$  sec. cor., with brass cap marked

$$\begin{array}{r} \frac{1}{4} \\ S. 30 \left| S. 29 \\ 1923 \end{array}$$

from which

A hemlock, 8 ins. diam., bears N. 81° E., 11 lks. dist., marked  $\frac{1}{4}$  S 29 BT.

A fir, 10 ins. dia., bears S. 23° W., 5 lks. dist., marked  $\frac{1}{4}$  S 30 BT.

41.00 Brook, 1 link wide, course NW.

44.00 Low spur, slopes NW. Descend 175 ft.

68.61 Brook, 4 lks. wide, course NW. Continue along W. slope.

72.05 Brook, 1 link wide, course NW. Ascend 110 ft., over SW. slope to

80.00 Set an iron post, 3 ft. long, 2 ins. dia., 27 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, with brass cap marked

$$\begin{array}{r} T. 29 S. \left| R. 2 E. \\ S. 19 \left| S. 20 \\ \hline S. 30 \left| S. 29 \\ 1926 \end{array}$$

from which

A Douglas fir, 18 ins. dia., bears N. 45° E., 8 lks. dist., marked T 29 S R 2 E S 20 BT.

A Douglas fir, 12 ins. dia., bears S. 42 $\frac{1}{2}$ ° E., 34 lks. dist., marked T 29 S R 2 E S 29 BT.

A Douglas fir, 9 ins. dia., bears S. 50° W., 16 $\frac{1}{2}$  lks. dist., marked T 29 S R 2 E S 30 BT.

A Douglas fir, 14 ins. dia., bears N. 55° W., 40 lks. dist., marked T 29 S R 2 E S 19 BT.

Land, mountainous.

Soil, rocky clay loam; 2nd and 3rd rate.

Timber, fir, pine and cedar.

Undergrowth, rhododendron, fir and vine maple.

N. 89° 45' E., on a random line, bet. secs. 20 and 29.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.90 Intersect N. and S. line, 49 lks. N. of the cor. of secs. 20, 21, 28 and 29.

Thence,

N. 89° 54' W., on a true line, bet. secs. 20 and 29.