

## County Surveyor's Record, Douglas County, Oregon

Subdivision of T. 29 S., R. 3 E.

CHAINS

A Cedar, 18 ins. in diam., bears S.69\*E., 62 lks.

dist., marked T 29 S R 3 E S 21 B T.

A Fir, 20 ins. in diam., bears S.71\*W., 86 lks.

dist., marked T 29 S R 3 E S 20 B T.

A Pine, 48 ins. in diam., bears N.48\*W., 89 lks.

dist., marked T 29 S R 3 E S 17 B T.

Land, mountainous.

Soil, sandy and rocky, 3rd rate.

Timber, fir, cedar, pine and hemlock.

Undergrowth, vine maple, huckleberry, small fir and yew.

N.89\*43'E., on a random line bet. secs. 16 and 21.

40.00 Set temp.  $\frac{1}{2}$  sec. cor.80.42 Intersect N. and S. line 23 lks. N. of the cor. of secs.  
15,16,21 and 22.

Thence

S.89\*53'W., on a true line.

Over mountainous land, through scattering timber and  
light undergrowth.

Desc. 5 ft. over S. slope.

2.00 Draw, drains S., asc. 475 ft. over broken SE. slope.

31.00 Rock spur, slopes S., desc. 295 ft. over broken W. slope  
to40.21 Set an iron post, 3 ft. long, 1 in. in diam., 30 ins. in  
the ground, for  $\frac{1}{4}$  sec. cor., with brass cap marked
$$\frac{1}{4} \begin{array}{l} S 16 \\ S 21 \\ 1927 \end{array}$$

from which

A Cedar, 40 ins. in diam., bears N.32\*E., 11 lks.

dist., marked  $\frac{1}{4}$  S 16 B T.

A Cedar, 30 ins. in diam., bears S.76\*E., 53 lks.

dist., marked  $\frac{1}{4}$  S 21 B T.

Desc. 430 ft. over SW. slope.

53.00 Enter NE. end of swamp, bears NW. and S.

55.00 Leave swamp, bears NE. and SW., asc. 10 ft. over SE.  
slope.