

Subdivision of T. 29 S., R. 3 E.

CHAINS

$$\frac{1}{4}$$

S 31 | S 32
1927

from which

A Fir snag, 30 ins. in diam., 25 ft. high bears
N.41*E., 159 lks. dist., marked $\frac{1}{4}$ S 32 B T.

A Fir, snag, 30 ins. in diam., 30 ft. high, bears
N.53*W., 103 lks. dist., marked $\frac{1}{4}$ S 31 B T.

Asc. 15 ft. over S. slope.

42.50 Spur, slopes W., desc. 225 ft. over NW. slope to

72.75 Rock spur, slopes NW., desc. 180 ft. over rocky NE.
slope to sec. cor. enter scattering timber.80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 30 ins. in
the ground, for cor. of secs. 29, 30, 31 and 32, with
brass cap marked

T 29 S R 3 E
S 30 | S 29
S 31 | S 32
1927

from which

A Fir, 48 ins. in diam., bears N.87*E., 287 lks.
dist., marked T 29 S R 3 E S 29 B T.

A Fir, 34 ins. in diam., bears S.83*E., 210 lks.
dist., marked T 29 S R 3 E S 32 B T.

A Fir, 30 ins. in diam., bears S.52*W., 44 lks.
dist., marked T 29 S R 3 E S 31 B T.

A Fir, 26 ins. in diam., bears N.9*W., 143 lks.
dist., marked T 29 S R 3 E S 30 B T.

Land, rolling and mountainous.

Soil, sandy and rocky, 3rd rate.

Timber, fir and pine.

Undergrowth, buck brush, willow, small fir and pine.

East, on a random line bet. secs. 29 and 32.

40.00 Set temp. $\frac{1}{4}$ sec. cor.80.24 Intersect N. and S. line 46 lks. S. of the cor. of secs.
28, 29, 32 and 33.

Thence

S.89*40*W., on a true line.