

County Surveyor's Record, Douglas County, Oregon

28

Subdivision of T. 30 S., R. 1 E.

CHAINS	<p>Land, mountainous.</p> <p>Soil, clay loam, stony in places, second and third rate.</p> <p>Timber, fir, hemlock, cedar, and pine.</p> <p>Undergrowth, fir, vine maple, hazel, and laurel.</p>
40.00	<p>S.89°58'E., on a random line bet. secs. 4 and 9.</p> <p>Set temp. $\frac{1}{4}$ sec. cor.</p>
80.12	<p>Intersect N. and S. line, 2 lks. S. of the cor. of secs. 3, 4, 9 and 10.</p>
15.50	<p>Thence</p> <p>N.89°59'W., on a true line, bet. secs. 4 and 9.</p> <p>Over mountainous land, through scattered timber and dense undergrowth.</p> <p>Ascend 120 ft. over E. slope.</p> <p>Leave pine openings, enter medium timber, bears NW. and SE.</p>
18.30	<p>Spur, slopes S. Descend 220 ft. over SW. slope to</p>
38.67	<p>Creek, 6 lks. wide, course SE.</p> <p>Ascend gradually.</p>
40.06	<p>Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked</p>
	$\begin{array}{c} S4 \\ \frac{1}{4} \\ S9 \\ 1923 \end{array}$
	<p>from which</p> <p>A fir, 6 ins. diam., bears N.12°W., 5 lks. dist.</p> <p>Marked $\frac{1}{4}$ S 4 B T.</p> <p>An ash, 9 ins. diam., bears S.54°W., 4 lks. dist.</p> <p>Marked $\frac{1}{4}$ S 9 B T.</p>
59.85	<p>Ascend 350 ft. over irregular SE. slope to spur.</p> <p>Dry bed of creek, 5 lks. wide, course NE.</p>
65.63	<p>A trail, bears N. and S.</p>
68.00	<p>Spur, slopes S., descend 75 ft. over NW. slope</p> <p>Enter heavy timber.</p>
80.12	<p>The cor. of secs. 4, 5, 8 and 9.</p>