

County Surveyor's Record, Douglas County, Oregon

North Boundary of T. 31 S., R. 2 E.

CHAINS

A hemlock, 12 ins. in dia., bears S.78*E., 22 lks. dist.,
marked $\frac{1}{4}$ S B T

A hemlock, 10 ins. in dia., bears N.7*W., 27 lks. dist.,
marked $\frac{1}{4}$ S B T

46.25 A creek, 6 lks. wide, course SE.

54.25 Abbot Creek, 10 lks. wide, course South.

Ascend steep hill.

70.00 Top of ridge N. and S. descend.

80.00 Cor. to Tps. 30 and 31 S. Rs. 2 and 3 E.

Land, broken and mountainous.

Soil, 2nd rate.

Timber, fir and pine.

Undergrowth, vine maple and lilac.

Heavily timbered and mountainous. 80 chs. Aug. 4, 1891.

23 miles, 69 chs. and 90 lks. of these lines are over
mountainous, heavily timbered lands or through dense
undergrowth.

5 miles 75 chs. and 90 lks. are retracing old Tp. line.

East Boundary of T. ^{30 S.} 30 S., R. 2 E. As surveyed by ^{Adapted} Fred Mensch, U.S.G.E., and Lincoln E. Wilkes, U.S.G.E.,
Under special instructions, dated Dec. 21, 1920.

I commence at the corner of Tps. 30 and 31 S., Rs. 2 and
3 E., which is a basalt stone, 12x12x5 ins. above ground,
firmly set, marked with 6 notches on each edge,
from which,

A fir, 30 ins. in dia., bears N.52*E., 19 lks. dist.,
marked T 30 S R 3 E S 31 B T. Old bearing tree.

A fir, 30 ins. in dia., bears S.11*E., 153 lks. dist.,
marked T 31 S R 3 E S 6 B T. Old bearing tree.

A fir, 26 ins. in dia., bears S.6*W., 104 lks. dist.,
marked T 31 S R 2 E S 1 B T. Old bearing tree.

A fir, 8 ins. in dia., bears N.56*W., 34 lks. dist.,
marked T 30 S R 2 E S 36 B T. New bearing tree.