

East Boundary of T. 30 S., R. 2 E.

CHAINS

The original bearing tree, in section 36 has fallen.

Thence

North, bet. secs. 31 and 36.

Over mountainous land, through heavy timber and dense undergrowth.

Ascend 510 ft. over SE. slope to

25.00 Spur, slopes SW. Descend 140 ft. over NW. slope to

40.00 Set an iron stone 24x20x10 ins., 16 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face, from which,

A pine, 40 ins. in dia., bears N.54*E., 89 lks. dist., marked $\frac{1}{4}$ S 31 B T

A pine, 45 ins. in dia., bears N.2*W., 109 lks. dist., marked $\frac{1}{4}$ S 36 B T

Descend 215 ft. along NW. slope, to

54.63 Dry bed of brook, 1 lk. wide, course NW. Ascend 50 ft. to

57.50 Spur, slopes NW. Descend 35 ft. to

69.94 Brook, 2 lks. wide, course W. Ascend 250 ft. over SE. slope to

80.00 Set a basalt stone, 20x15x8 ins., 15 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, marked with 5 notches on N. and 1 notch on S. edge, from which,

A fir, 12 ins. in dia., bears N.14*E., 82 lks. dist., marked T 30 S R 3 E S 30 B T

A fir, 36 ins. in dia., bears S.76*E., 39 lks. dist., marked T 30 S R 3 E S 31 B T

A pine, 14 ins. in dia., bears S.28*W., 35 lks. dist., marked T 30 S R 2 E S 36 B T

A fir, 18 ins. in dia., bears N.22*W., 38 lks. dist., marked T 30 S R 2 E S 25 B T

Land, mountainous.

Soil, clay loam and rocky; 2nd and 3rd rate.

Timber, fir, cedar, and pine.

Undergrowth, fir and snowbrush.