

South Boundary of T. 29 S., R. 2 E.

CHAINS	
6.15	Intersect left bank of said S. Fork of S. Umpqua River, at bend, course NW. from NE.
17.80	Middle of same river, 120 lks. wide, course SW. Ascend gradually along SE. slope.
37.00	Spur, slopes S. Descend 40 ft., over SW. slope to
40.00	Set an iron post, 3 ft. long, 1 in. dia., 12 ins. in the ground, to bed rock, (supported by a mound of stone, 3 ft. base. 1½ ft. high, around post) with brass cap marked
	$\frac{1}{4} \begin{array}{l} S \ 31 \\ S \ 6 \\ 1923 \end{array}$
	<p>from which,</p> <p>An oak, 9 ins. in dia., bears N.42*W., 65 lks. dist., marked ¼ S 31 B T</p> <p>An oak, 6 ins. in dia., bears S.14*W., 23 lks. dist., marked ¼ S 6 B T</p>
	Descend 160 ft., over SW. slope to
68.70	Middle of S. Fork of S. Umpqua River, 80 lks. wide, course NW. Continue over bottom land to
77.14	The cor. of Tps. 29 and 30 S., Rs. 1 and 2 E., which is a conglomerate stone, 15x8x6 ins. above ground, firmly set, marked and witnessed as described by the Surveyor General.
	<p>Land, mountainous, and narrow river bottom.</p> <p>Soil, alluvial clay loam, and rocky; 1st, 2nd and 3rd rate.</p>
	Timber, fir, pine, cedar, and maple.
	Undergrowth, vine maple, fir, and hazel.