

County Surveyor's Record, Douglas County, Oregon

Willamette Meridian through Tp. 31 South,

CHAINS	<p>A fir, 30 ins. diam., bears N.70*W., 15 lks. Marked T. 31 S., R. 1 W., S. 13, B.T.</p> <p>Land, mountainous. Soil, stony and 3rd rate. Timber, fir, pine, hemlock and cedar. Undergrowth laurel, hazel and willow. Mountainous or heavily timbered land or land covered with dense undergrowth, 80.00 chs.</p>
<p>8.25 10.15 12.40</p>	<p>North bet. secs. 13 and 18. Descend through heavy timber and dense undergrowth.</p> <p>A spring branch, 5 lks. wide. C. W. Recross spring branch. C. NE. Recross spring branch. C. NW.</p> <p>Thence along W. slope.</p> <p>Difference bet. measurement of 40.00 chs. by two sets of chainmen is 8 lks.; position of middle point,</p> <p style="padding-left: 40px;">By 1st set, 40.04, By 2nd set, 39.96, the mean of which is</p>
40.00	<p>Set a basalt stone, 15x10x5 ins., 10 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face, from which</p> <p style="padding-left: 40px;">A cedar, 14 ins. diam., bears S.70*E., 23 lks. Marked $\frac{1}{4}$ S. 18, B.T. A fir, 40 ins. diam., bears N.52*W., 57 lks. Marked $\frac{1}{4}$ S. 13, B.T.</p>
47.50	<p>A spring branch, 1 lk. wide. C. W.</p>
65.75	<p>A perpendicular bluff, 25 ft. high.</p> <p>Difference bet. measurement of 80.00 chs. by two sets of chainmen is 16 lks., position of middle point</p> <p style="padding-left: 40px;">By 1st set, 80.08, By 2nd set, 79.92, The mean of which is</p>
80.00	<p>Set a basalt stone, 20x15x6 ins., 15 ins. in the ground</p>