

Dependent Resurvey of Willamette Meridian
through T. 31 S.

CHAINS

A fir, 12 ins. diam., bears N.71*W., 21 lks. dist.,
marked T 31 S R 1 W S 12 B T (Old BT.)

The old bearing tree in sec. 13 is dead and fallen.

Re-mark the stone

S13 on SW. and S12 on NW. face;

from which

A cedar, 18 ins. diam., bears S.30*W., 37 lks. dist.,
marked T 31 S R 1 W S 13 B T (New BT.)

Land, mountainous.

Soil, rocky, 4th rate.

Timber, fir and cedar.

Undergrowth, vine maple and hazel.

North, on E. bdy. of sec. 12.

Over mountainous land, through heavy timber and dense
undergrowth.

Asc. 50 ft. along W. slope.

9.62 Set a basalt stone, 20x15x8 ins., 15 ins. in the ground,
for $\frac{1}{4}$ sec. cor. of sec. 7 only, marked $\frac{1}{4}$ S 7 on E.
face, from which

A fir, 28 ins. diam., bears N.23*E., 65 lks. dist.,
marked $\frac{1}{4}$ S 7 B T.

A fir, 36 ins. diam., bears S.26*E., 43 lks. dist.,
marked $\frac{1}{4}$ S 7 B T.

No iron post available.

12.00 Top of ridge, bears NW. and SE.; desc. over NE. slope,
759 ft. to $\frac{1}{4}$ sec. cor.

34.60 Bluff, 35 ft. high, faces N.

40.00 The $\frac{1}{4}$ sec. cor. established for secs. 7 and 12, which is
a basalt stone, firmly set, 5x12x5 ins. above ground,
marked $\frac{1}{4}$ on W. face; from which

A fir, 10 ins. diam., bears N.60*E., 39 lks. dist.,
marked $\frac{1}{4}$ S 7 B T (Old BT)

A fir, 12 ins. diam., bears N.84*W., 62 lks. dist.,