

Subdivisions of T. 31 S., R. 1 E.

CHAINS

cor. of secs. 27, 28, 33, and 34, with brass cap marked

T31S	R1E
S28	S27
S33	S34
1923	

from which

A live oak, 6 ins. diam., bears N.4*E., 14 lks. dist., marked T 31 S R 1 E S 27 B T.

A madrona, 6 ins. diam., bears S.29*E., 23 lks. dist., marked T 31 S R 1 E S 34 B T.

A fir, 4 ins. diam., bears S.57*W., 21 lks. dist., marked T 31 S R 1 E S 33 B T.

A madrona, 6 ins. diam., bears N.75*W., 25 lks. dist., marked T 31 S R 1 E S 28 B T.

Thence S.0*02'E., on a true line, bet. secs. 33 and 34. Over mountainous land, through scattering timber and dense undergrowth.

Descend 800 ft. on SW. slope.

27.80 Ravine, course SW.; ascend 50 ft. on NW. slope.

30.00 Small spur, slopes SW.; descend 210 ft. on SW. slope, to

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

$\frac{1}{4}$	
S33	S34
1923	

from which

A fir, 24 ins. diam., bears S.84*E., 57 lks. dist., marked $\frac{1}{4}$ S 34 B T.

A fir, 48 ins. diam., bears N.39*W., 9 lks. dist., marked $\frac{1}{4}$ S 33 B T.

Descend 65 ft. on SW. slope.

45.60 Elkhorn Creek, 12 lks. wide, course SE.; enter heavy timber, bears NW. and SE.; ascend 400 ft. on NE. slope.

61.75 Spur, slopes SE.; descend 250 ft. on SE. slope.

69.90 Creek, 2 lks. wide, course E.; ascend 290 ft. on N.