

11380

Dependent Resurvey of the W. Bdy. of T. 21 S., R. 8 W.

CHAINS

- 31.50 A spur, slopes NW.; desc. 209 ft. over NW. slope, changing to N. slope.
- 35.90 Weatherly Creek, 35 lks. wide, course W.; asc. 73 ft. over S. slope.
- 37.70 A logging road, bears E. and W.
- 38.99 Proportional measurement.

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S } 36 | \text{S } 31 \\ | \\ 1945 \end{array}$$

from which

A fir, 44 ins. diam., bears N. 83° E., 442 lks. dist., mkd. $\frac{1}{4}$ S 31 B T.

A fir, 22 ins. diam., bears N. 27° W., 141 lks. dist., mkd. $\frac{1}{4}$ S 36 B T.

Asc. 201 ft. over S. slope, changing to SW. slope.

- 44.20 A spur, slopes SW.; asc. 35 ft. over broken SW. slope.
- 50.00 A branch, 3 lks. wide, course SW.; asc. 166 ft. over S. slope.
- 57.50 A spur, slopes SW.; asc. 86 ft. over broken SW. slope.
- 67.10 A spur, slopes W.; desc. 27 ft. over NW. slope.
- 69.50 Head of ravine, course W.; asc. 45 ft. over broken SW. slope.
- 77.98 The cor. of secs. 25, 30, 31 and 36, the locus of which is determined at the record measurements from the Gesner NE. and SE. bearing trees and record bearings from the Gesner SW. and NW. bearing trees.

At point for corner,

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, with brass cap mkd.

$$\begin{array}{c} \text{T } 21 \text{ S} \\ \text{R } 9 \text{ W} | \text{R } 8 \text{ W} \\ \text{S } 25 | \text{S } 30 \\ \hline \text{S } 36 | \text{S } 31 \\ 1945 \end{array}$$

from which

A fir, 36 ins. diam., bears N. 56° 45' E., 63 lks. dist., with blaze healed. (Old B.T.)

A fir, 48 ins. diam., bears S. 43° E., 88 lks. dist., with blaze healed. (Old B.T.)

A sawed fir stump, 48 ins. diam., bears S. 15° W., 119 lks. dist., with blaze healed. (Old B.T.)

A sawed fir stump, 36 ins. diam., bears N. 72° W., 122 lks. dist., with blaze healed. (Old B.T.)

A fir, 22 ins. diam., bears S. 25 $\frac{1}{2}$ ° W., 213 lks. dist., mkd. T 21 S R 9 W S 36 B T. (New B.T.)

A fir, 40 ins. diam., bears N. 34° W., 173 lks. dist., mkd. T 21 S R 9 W S 25 B T. (New B.T.)