


Dependent Resurvey of Part of the Subdivision of  
T. 21 S., R. 8 W.

CHAINS

N. 0° 35' E., bet. secs. 33 and 34.  
 Desc. 30 ft. over NE. slope, through heavy timber and dense undergrowth.  
 0.65 A ravine, course E.; asc. 47 ft. over SE. slope.  
 2.50 A spur, slopes E.; desc. 261 ft. over NE. slope.  
 9.10 Cedar Creek, 10 lks. wide, course SE.; asc. 331 ft. over broken SW. slope.  
 19.10 A spur, slopes SW.; desc. 12 ft. over NW. slope.  
 26.00 A branch, 2 lks. wide, course SW.; asc. 405 ft. over broken SE. slope.  
 38.65 A spur, slopes SW.; enter area which has been partially burned, bears NE. and SW.; desc. 4 ft. over NW. slope.  
 39.26 The  $\frac{1}{4}$  sec. cor., a live oak, 8 ins. diam., with old blaze decayed.  
 At point for cor., between the roots of old corner tree, which leans downhill, on solid sandstone,  
 Set an iron post, 1 ft. long, 1 in. diam., in drill hole, 8 ins. deep, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.



from which


A fir, 30 ins. diam., bears N. 59 $\frac{1}{2}$ ° E., 24 lks. dist., with partial scribe marks on old bark blaze. I reblaze and re-mark this old bearing tree  $\frac{1}{4}$  S 34 B T.

A fir, 20 ins. diam., bears S. 38 $\frac{1}{2}$ ° W., 16 lks. dist., with blaze healed. I reblaze and re-mark this old bearing tree  $\frac{1}{4}$  S 33 B T.

Thence

N. 0° 32' E., with new measurement.  
 Desc. 264 ft. over broken NW. slope.

8.60 A branch, 2 lks. wide, course SW.; asc. 458 ft. over SE. slope, changing to SW. slope.  
 24.60 A spur ridge, bears NW. and SE.; desc. 232 ft. over NE. slope.  
 24.65 Cedar Creek Trail, bears NW. and SE.  
 32.50 Foot of descent on E. slope; asc. 6 ft. over SE. slope.  
 34.10 A spur, slopes NE.; desc. 296 ft. over broken N. slope.  
 39.44 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for witness cor. to the cor. of secs. 27, 28, 33 and 34, with brass cap mkd.



from which