

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISION OF T. 24 S., R. 3 W.


CHAINS
37.35

A branch, 2 lks. wide, course W.; asc. 9 ft. over SW. slope.

39.835

Point for the $\frac{1}{4}$ sec. cor. of secs. 20 and 21, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with brass cap mkd.



*FD OK 6/91
D. PEEL M113-43
FD OK 11/2000
D. Baker M136-38*

from which

A fir, 11 ins. diam., bears N. $84\frac{1}{2}^\circ$ E., 37 lks. dist., mkd. $\frac{1}{4}$ S 21 BT.

A fir, 43 ins. diam., bears S. $13^\circ 45'$ W., 54 lks. dist., mkd. $\frac{1}{4}$ S 20 BT.

The $\frac{1}{4}$ sec. cor. is located on a small spur, slopes W.

Desc. 97 ft. over rolling broken NW. slope.

46.85

A branch, 2 lks. wide, course N. 60° W.

50.24

A wire fence, bears N. $35^\circ 58'$ E. and S. $35^\circ 58'$ W.

51.06

A railroad sidetrack, bears N. $35^\circ 58'$ E. and S. $35^\circ 58'$ W.

51.35

Weyerhaeuser Timber Company's logging railroad, bears N. $35^\circ 58'$ E. and S. $35^\circ 58'$ W.

51.95

A wire fence and telephone line, bear N. $35^\circ 58'$ E. and S. $35^\circ 58'$ W.; enter rolling bottom land, bears NE. and SW.

63.90

Calapocya Creek, 40 lks. wide, course N. 75° W.

68.40

Coon Creek, 20 lks. wide, course W.; asc. 48 ft. over rolling broken S. slope.

69.83

A graded graveled county road, bears N. 70° E. and S. 70° W.

70.20

A power line, bears N. 70° E. and S. 70° W.


75.20

A small ravine, course E.; asc. 116 ft. over broken SE. slope.

79.67

Point for the cor. of secs. 16, 17, 20 and 21, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with brass cap mkd.



*FD OK PER PEEL
M103-29 DEC-86*

from which

A cedar, 8 ins. diam., bears N. $18^\circ 45'$ E., 99 lks. dist., mkd. T 24 S R 3 W S 16 BT.

A fir, 12 ins. diam., bears S. $20\frac{1}{2}^\circ$ E., 139 lks. dist., mkd. T 24 S R 3 W S 21 BT.

A fir, 12 ins. diam., bears S. 74° W., 179 lks. dist., mkd. T 24 S R 3 W S 20 BT.

A fir, 7 ins. diam., bears N. $43\frac{1}{2}^\circ$ W., 113 lks. dist., mkd. T 24 S R 3 W S 17 BT.

Land, mountainous and rolling.

Soil, heavy sandy clay loam.

Timber, fir, hemlock, cedar, maple, alder, madrona, chinquapin, yew and dogwood.