

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISION OF T. 24 S., R. 3 W.

CHAINS

$\frac{1}{4}$   
 S 8 | S 9  
 1950

from which

A cedar, 26 ins. diam., bears S. 88° E., 60 lks. dist.,  
mkd.  $\frac{1}{4}$  S 9 BT.

A hemlock, 18 ins. diam., bears N. 16 $\frac{1}{4}$ ° W., 42 lks. dist.,  
mkd.  $\frac{1}{4}$  S 8 BT.

Desc. 10 ft. over NE. slope.

44.80 Foot of descent on E. slope; asc. 212 ft. over SE. slope.

73.50 A spur, slopes E.; desc. 37 ft. over NE. slope.

79.60 Point for the cor. of secs. 4, 5, 8 and 9, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground,  
with brass cap mkd.

T 24 S R 3 W  
 S 5 | S 4  
 S 8 | S 9  
 1950

from which

A yew, 8 ins. diam., bears N. 66°45' E., 33 lks. dist.,  
mkd. T 24 S R 3 W S 4 BT.

A hemlock, 26 ins. diam., bears S. 49° E., 46 lks. dist.,  
mkd. T 24 S R 3 W S 9 BT.

A hemlock, 18 ins. diam., bears S. 11°45' W., 40 lks. dist.,  
mkd. T 24 S R 3 W S 8 BT.

A yew, 10 ins. diam., bears N. 19 $\frac{1}{2}$ ° W., 21 lks. dist.,  
mkd. T 24 S R 3 W S 5 BT.

Land, mountainous.

Soil, heavy sandy and rocky clay loam.

Timber, fir, hemlock, cedar, maple, alder, yew, madrona, chinquapin  
and dogwood; undergrowth, vinemaple, hazel, arrowwood, bracken,  
willow, salal, salmonberry, thimbleberry and slickleaf.

The cor. of secs. 3, 4, 9 and 10 is determined by reference to the  
remaining original bearing trees, which are as follows:

A vinemaple, 6 ins. diam., bears N. 32° E., 25 lks. dist.,  
with old blaze decayed.

A hemlock, 12 ins. diam., bears S. 24 $\frac{1}{2}$ ° E., 8 lks. dist., mkd.  
S 10-T 24 S R 3 W BT. (Record a fir, 6 ins. diam., bearing  
S. 20° E.)

A hemlock, 14 ins. diam., bears S. 70° W., 9 lks. dist., with  
incomplete scribe marks visible on partially healed old blaze.  
(Record a fir, 5 ins. diam., bearing S. 62° W.)

At the corner point

Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground,  
with brass cap mkd.