

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISION OF T. 24 S., R. 3 W.

CHAINS

$\frac{1}{4}$
 S 18 | S 17
 1950

from which

A fir, 22 ins. diam., bears S. $49\frac{1}{4}^\circ$ E., 33 lks. dist.,
mkd. $\frac{1}{4}$ S 17 BT.

A fir, 22 ins. diam., bears N. $83\frac{1}{4}^\circ$ W., 67 lks. dist.,
mkd. $\frac{1}{4}$ S 18 BT.

Asc. 55 ft. over S. slope, changing to SW. slope.

- 51.80 Top of ascent on W. slope; desc. 19 ft. over NW. slope.
- 56.35 A branch, 1 lk. wide, course SW.; asc. 60 ft. over broken S. slope.
- 60.40 Top of ascent on W. slope; desc. 9 ft. over NW. slope.
- 61.90 Enter level marsh, 75 lks. wide, edge bears E. and W.
- 62.90 Leave level marsh, edge bears E. and W.; asc. 169 ft. over broken SW. slope.
- 74.85 A spring branch, 2 lks. wide, course S. 30° W.
- 77.67 Point for the cor. of secs. 7, 8, 17 and 18, at proportionate distance; there is no remaining evidence of the original corner.
Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with brass cap mkd.

T 24 S R 3 W
 S 7 | S 8
 S 18 | S 17
 1950

from which

A fir, 10 ins. diam., bears N. 26° E., 15 lks. dist.,
mkd. T 24 S R 3 W S 8 BT.

A fir, 10 ins. diam., bears S. $87\frac{1}{2}^\circ$ E., 10 lks. dist.,
mkd. T 24 S R 3 W S 17 BT.

A fir, 10 ins. diam., bears S. 2° W., 42 lks. dist.,
mkd. T 24 S R 3 W S 18 BT.

A fir, 32 ins. diam., bears N. $85\frac{1}{2}^\circ$ W., 54 lks. dist.,
mkd. T 24 S R 3 W S 7 BT.

Land, mountainous.
Soil, heavy sandy clay loam.
Timber, fir, hemlock, cedar, alder, maple, chinquapin, yew, madrona and dogwood; undergrowth, vinemaple, salmonberry, slickleaf, hazel, willow, manzanita, salal, bracken, thimbleberry and arrow-wood.

- From the cor. of secs. 8, 9, 16 and 17
- N. $88^\circ 17'$ W., bet. secs. 8 and 17.
- Asc. 19 ft. over NE. slope, through heavy timber and dense undergrowth.
- 0.80 Head of spur, slopes N. 20° W.; desc. 336 ft. over NW. slope.
- 11.60 A branch, 10 lks. wide, course N. 30° W.; asc. 97 ft. over SE. slope.