

Dependent Resurvey of the E. Bdy. of T. 25 S., R. 3 W.

CHAINS

dist., mkd. T 25 S R 3 W S 36 B T. (New B.T.)

A white fir, 12 ins. diam., bears N.39°W., 48 lks.
dist., mkd. T 25 S R 3 W S 25 B T. (New B.T.)

Land, mountainous and rolling.
Soil, sandy loam and rocky clay; 2d and 3d rate;
Timber, fir, alder, hemlock, cedar, maple, pine, madrona,
chinquapin, dogwood, and oak.
Undergrowth, vinemaple, willow, salmonberry, salal, hazel,
bracken, arrowwood, and slickleaf.


N. 1° 49' E., along E. bdy. of sec. 25.

Desc. 9 ft. over gentle E. slope, changing to NE. slope,
thru heavy timber and dense undergrowth.

1.80 A branch, 3 lks. wide, course E.; asc. 376 ft. over S.
slope, changing to SE. slope.

34.785 Mid-point of the W. bdy. of sec. 30.

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
ground, for $\frac{1}{4}$ sec. cor. of sec. 30 only, with brass
cap mkd.



from which

A fir, 24 ins. diam., bears N.49°E., 133 lks.
dist., mkd. $\frac{1}{4}$ S 30 B T.


A fir, 30 ins. diam., bears S.43°E., 159 lks.
dist., mkd. $\frac{1}{4}$ S 30 B T.

Asc. 81 ft. over SE. slope.

39.50 A spur, slopes S.80°E.; desc. 8 ft. over NE. slope.

40.55 Proportional measurement.

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
ground, for $\frac{1}{4}$ sec. cor. of sec. 25 only, with brass
cap mkd.



from which

A fir, 12 ins. diam., bears S.70°W., 51 lks. dist.,
mkd. $\frac{1}{4}$ S 25 B T.

A fir, 12 ins. diam., bears N.20°W., 15 lks. dist.
mkd. $\frac{1}{4}$ S 25 B T.

Desc. 35 ft. over NE. slope.

42.00 Head of ravine, course E.; asc. 530 ft. over SE. slope.

75.13 The original closing cor. of secs. 19 and 30, a badly
shattered basalt stone, 14x10x6 ins., firmly set, with
incomplete chisel marks.

At point for corner,