

Dependent Resurvey of the E. Bdy. of T. 25 S., R. 3 W.

CHAINS

$\frac{1}{4}$ S 6
 |
 1943

from which

A hemlock, 8 ins. diam., bears N.34°E., 20 lks. dist., mkd. $\frac{1}{4}$ S 6 B T.

A fir, 32 ins. diam., bears S.40°E., 3 lks. dist., mkd. $\frac{1}{4}$ S 6 B T.

Desc. 160 ft. over NE. slope.

39.16

Point for original $\frac{1}{4}$ sec. cor. which new refers to sec. 1 only, determined by reference to the record bearing and distance from the original SE. bearing tree.

At point for corner,

Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. of sec. 1 only, with brass cap mkd.

$\frac{1}{4}$ S 1
 |
 1943

from which

A dead hemlock, 12 ins. diam., bears S.38°E., 40 lks. dist., mkd. $\frac{1}{4}$ S B T. I obliterate the marks on this old bearing tree.

A fir, 42 ins. diam., bears S.7°W., 61 lks. dist., mkd. $\frac{1}{4}$ S 1 B T. (New B.T.)

A hemlock, 8 ins. diam., bears N.75°W., 16 lks. dist., mkd. $\frac{1}{4}$ S 1 B T. (New B.T.)

Thence

N. 3° 40' E., with new measurement.

Desc. 395 ft. over NE. slope.

13.60

Dry bed of creek, 10 lks. wide, course E.; asc. 24 ft. over SE. slope.

17.40

A spur, slopes E.; desc. 118 ft. over NE. slope.

26.35

A branch, 2 lks. wide, course E.; asc. 11 ft. over SE. slope.

28.70

A spur, slopes E.; desc. 124 ft. over NE. slope.

35.50

A branch, 6 lks. wide, course SE.; asc. 136 ft. over SE. slope.

45.18

The original cor. of Tps. 24 and 25 S., Rs. 2 and 3 W., the decayed remains of a cedar stake, 3 ft. long, 4 ins. square, on which no marks remain.

At point for corner,

Set an iron post, 3 ft. long, 3 ins. diam., 28 ins. in the ground, with decayed stake deposited at the base, for cor. of Tps. 24 and 25 S., Rs. 2 and 3 W., with brass cap mkd.