

Dependent Resurvey of the W. Bdy. of T. 25 S., R. 3 W.

CHAINS
10.00

A ravine, course S.70°W.; asc. 143 ft. over SE. slope.

21.00

A spur ridge, bears E. and W.; desc. 94 ft. over NE. slope.

26.70

A ravine, course E.; asc. 74 ft. over SE. slope.

32.70


A spur, slopes N.60°E.; desc. 185 ft. over NE. slope.

40.20

Point for original $\frac{1}{4}$ sec. cor., determined by reference to record measurements from both old bearing trees.

At point for corner,

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



from which
A maple, 16 ins. diam., bears S.67 $\frac{1}{2}$ °E., 27 lks. dist., with old blaze healed. (Old B.T.)

A fir, 26 ins. diam., bears S.64°W., 16 lks. dist., with old blaze healed. (Old B.T.)

A red cedar, 18 ins. diam., bears N.51°E., 95 lks. dist., mkd. $\frac{1}{4}$ S 18 B T. (New B.T.)

Thence

N. 2' 04' E., with new measurement.

Desc. 392 ft. over broken NE. slope.

17.00

A branch, 3 lks. wide, course N.70°E.; asc. 15 ft. over SE. slope.

20.10

A spur, slopes E.; desc. 156 ft. over NE. slope.

28.70

Slide Creek, 15 lks. wide, course NW.; asc. 118 ft. over SW. slope.

30.60

A dim trail, bears NW. and SE.

36.70

A spur, slopes W.; desc. 69 ft. over NW. slope.

41.10

A branch, 5 lks. wide, course N.75°W.; thence over W. slope.

41.55


A branch 3 lks. wide, course W.; asc. 15 ft. over SW slope.

42.43

Point for original cor. of secs. 7, 12, 13, and 18, determined at record distances from old NE. and SW. bearing trees, and record bearing from old SE. bearing tree.

At point for corner,

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 7, 12, 13, and 18, with brass cap mkd.



from which

A fir, 38 ins. diam., bears N.52°E., 25 lks.