

Dependent Resurvey of Part of the N. Bdy. of Sec. 6,
T. 25 S., R. 3 W.

CHAINS

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 6 only, with brass cap mkd.

$\frac{1}{4}$ S 6
1944

from which

A fir stump, 36 ins. diam., bears S. 54° E., 75 lks. dist., on which I uncovered the scribe marks S $\frac{1}{4}$ beneath sufficient overgrowth to qualify the inscription for the date of the Littrell survey.

A fir, 24 ins. diam., bears S. 73° E., 25 lks. dist., mkd. $\frac{1}{4}$ S 6 B T (New B.T.)

A fir, 8 ins. diam., bears S. 65° W., 40 lks. dist., mkd. $\frac{1}{4}$ S 6 B T. (New B.T.)

Land, mountainous, rolling, and level.
Soil, sandy loam and rocky clay; 1st and 3d rate.
Timber, fir, hemlock, alder, cedar, maple, and chinquapin.
Undergrowth, vinemaple, arrowwood, lilac, blackberry, salmonberry, salal, bracken, and poison oak.

Dependent Resurvey of the S. Bdy. of T. 24 S., R. 3 W.

"Re establishment of the survey executed by W. H. B yars, Deputy Surveyor, in 1871."

From the cor. of Tps. 24 and 25 S., Rs. 3 and 4 W., heretofore described

S. $87^{\circ} 55'$ E., along the S. bdy. of sec. 31, in conflict with sec. 6, T. 25 S., R. 3 W.

Over rolling bottom land, in old clearing.

3.00 Leave bottom land, bears N. and S.; asc. 113 ft. over rolling broken W. slope.

8.63 A power line of California-Oregon Power Company, bears N. 42° E. and S. 42° W.

9.91 A spur, slopes N. 20° W.; enter heavy timber and dense undergrowth, bears N. and S.; desc. 110 ft. over NE. slope.

13.84 Calapooya Creek, 60 lks. wide, course NW.; asc. 20 ft. over gently rolling bottom land.

20.57 Calapooya Creek, 60 lks. wide, course S. 20° W.; thence over almost level bottom land.

25.33 Leave bottom land, bears NE. and SW.; asc, 110 ft, over NW. slope.

30.50 A spur, slopes N.; desc. 15 ft. over NE. slope.

31.56 A ravine, course N. 30° W.; asc. 147 ft. over NW. slope.

38.75 A spur, slopes N.; desc. 7 ft. over NE. slope.

39.81 Point for original $\frac{1}{4}$ sec. cor. of sec. 31 only, determined at the record measurements from both old bearing trees.

At point for corner,